

Contents volume 36

| | |
|---|-----|
| Ančev, M. & Goranova, V.: Trichome morphology of eleven genera of the tribe <i>Alysseae</i> (<i>Brassicaceae</i>) occurring in Bulgaria | 193 |
| Areces Berazaín, F.: New records of <i>Malvaceae</i> from Cuba | 881 |
| Bacchetta, G. & Brullo, S.: Taxonomic revision of the <i>Astragalus genargenteus</i> complex (<i>Fabaceae</i>) | 157 |
| Baltisberger, M.: Cytological investigations on Bulgarian phanerograms | 205 |
| Bareka, P., Kamari, G. & Phitos, D.: <i>Acis ionica</i> (<i>Amaryllidaceae</i>), a new species from the Ionian area (W Greece, S Albania) | 357 |
| Baumann, H.: Von Lilienblüten aus minoischer Sicht [Lily flowers in Minoan art] | 389 |
| Berazaín Iturrealde, R.: Notes on the taxonomy and distribution of the <i>Ochnaceae</i> in the Greater Antilles | 455 |
| Biel, B., Tan, K. & Tzanoudakis, D.: A new autumn-flowering species of <i>Allium</i> (<i>Liliaceae</i>) from the island of Sifnos (Cyclades, Greece) | 367 |
| Bigazzi, M., Nardi, E. & Selvi, F.: Palynological contribution to the systematics of <i>Rindera</i> and the allied genera <i>Paracaryum</i> and <i>Solenanthus</i> (<i>Boraginaceae-Cynoglossaceae</i>) | 37 |
| Caluff, M. G.: The genus <i>Odontosoria</i> (<i>Dennstaedtiaceae, Pteridophyta</i>) in Cuba | 469 |
| Castroviejo, S., Aedo, C. & Medina, L.: Management of floristic information on the Internet: the Anthos solution | 127 |
| Croat, T. & Yu, G.: Four new species of <i>Philodendron</i> (<i>Araceae</i>) from South America | 885 |
| Dathe, S. & Dietrich, H.: Comparative molecular and morphological studies in selected <i>Maxillariinae</i> orchids | 579 |
| Deil, U.: Distribution, ecology and phytosociology of the N Moroccan endemic <i>Ptilostemon leptophyllus</i> (<i>Compositae</i>) | 413 |
| Dickoré, W. B. & Kriechbaum, M.: <i>Oxytropis iridum</i> (<i>Leguminosae</i>), a new species from SE Tibet (Xizang, China), including phytogeographical notes | 857 |
| Edmondson, J. R. & Lack, H. W.: Karl Georg Theodor Kotschy's itinerary in southern Iran, 1841-42 | 69 |
| Ehrendorfer, F. & Guo, Y.-P.: Multidisciplinary studies on <i>Achillea</i> sensu lato (<i>Compositae-Anthemideae</i>): new data on systematics and phylogeography | 145 |
| Erben, M.: <i>Limonium greuteri</i> (<i>Plumbaginaceae</i>), a new species from the island of Corsica (France) | 145 |
| Erzberger, P.: Contribution to the bryophyte flora of Chalkidiki, Greece | 515 |
| Freitag, H. & Lomonosova, M.: Typification and identity of <i>Suaeda crassifolia</i> , <i>S. prostrata</i> and <i>S. salsa</i> , three often confused species of <i>S.</i> sect. <i>Brezia</i> (<i>Chenopodiaceae, Suaedoideae</i>) | 21 |
| Gabrielian, E.: <i>Poa greuteri</i> (<i>Poaceae</i>), a new species from Armenia | 437 |
| Garbari, F. & Bedini, G.: The flora of the Apuan Alps (Tuscany, Italy): survey of biosystematic investigations | 149 |
| Georgakopoulou, A., Manousou, S., Artelari, R. & Georgiou, O.: Breeding systems and cytology in Greek populations of five <i>Limonium</i> species (<i>Plumbaginaceae</i>) | 741 |
| Georgiou, O., Panitsa, M. & Tzanoudakis, D.: <i>Anthemis scopulorum</i> (<i>Asteraceae</i>), an "islet specialist" endemic to the Aegean islands (Greece) | 339 |
| Gottschlich, G., Drenckhahn, D. & Meierott, L.: <i>Hieracium greuteri</i> (<i>Compositae</i>), a local endemic of N Peloponnisos (Greece) | 351 |
| Gradstein, S. R.: Stephani's Species Hepaticarum revisited | 557 |
| Greuter, W. & Raab-Straube, E. von (ed.): Euro+Med Notulae, 2 | 707 |
| Greuter, W. & Raus, Th. (ed.): Med-Checklist Notulae, 24 | 719 |
| Greuter, W. & Vogt, R.: Bericht über den Botanischen Garten und das Botanische Museum Berlin-Dahlem (BGBM) für das Jahr 2005 | 613 |
| Greuter, W., Gutermann, W. & Talavera, S.: A preliminary conspectus of <i>Scorzoneroideae</i> (<i>Compositae, Cichorieae</i>) with validation of the required new names | 689 |
| Hand, R. (ed.): Supplementary notes to the flora of Cyprus V | 761 |

| | |
|---|-----|
| Hauck, M. & Javkhlan, S.: Additions to the lichen flora of Mongolia: records from Khen-tey and Khangay | 895 |
| Hedrén, M.: New species and combinations in <i>Acanthaceae</i> from Somalia | 751 |
| Hiepko, P.: Eipo plant nomenclature and classification compared with other folk taxonomic systems | 447 |
| Ibáñez, N., Montserrat, J. M. & Soriano, I.: Collections from the Royal Spanish Expeditions to Latin America in the Institut Botànic de Barcelona (BC), Spain | 595 |
| İkinci, N., Oberprieler, C. & Güner, A.: On the origin of European lilies: phylogenetic analysis of <i>Lilium</i> section <i>Liriotypus</i> (<i>Liliaceae</i>) using sequences of the nuclear ribosomal transcribed spacers | 647 |
| Jahn, R. & Kusber, W.-H.: Algae of the Ehrenberg collection – 3. Typification of seven diatom taxa described by C. G. Ehrenberg predominantly from Greece | 527 |
| Junikka, L., Uotila, P. & Lahti, T.: A phytogeographical comparison of the major Mediterranean islands on the basis of <i>Atlas Flora Europaea</i> | 379 |
| Kadereit, G., Hohmann, S. & Kadereit, J. W.: A synopsis of <i>Chenopodiaceae</i> subfam. <i>Betoideae</i> and notes on the taxonomy of <i>Beta</i> | 9 |
| Kalheber, H.: Bavarian plant collectors in Greece – 1. Franz Xaver Berger, Franz Zuccarini and Carl Nikolaus Fraas | 565 |
| Kalpoutzakis, E. & Constantinidis, T.: Additions and annotations to the flora of Peloponnesos (S Greece) | 271 |
| Kamari, G. & Phitos, D.: Karyosystematic study of <i>Fritillaria messanensis</i> s.l. (<i>Liliaceae</i>) | 217 |
| Kilian, N., Kürschner, H. & Hein, P.: <i>Euphorbia greuteri</i> (<i>Euphorbiaceae</i>), a new single-spined succulent from the foothills of Jabal Urays, Abyan, Yemen | 441 |
| Köhler, E.: Three new <i>Buxus</i> species (<i>Buxaceae</i>) from eastern Cuba | 479 |
| Lakušić, D., Novčić, R., Kučera, J. & Marhold, K.: <i>Cardamine pancicii</i> (<i>Brassicaceae</i>), a neglected species of the Balkan Peninsula, morphological and molecular evidence | 177 |
| Leiva Sánchez, A.: Notes on Cuban native palms | 507 |
| Leuenberger, B. E. & Arroyo-Leuenberger, S.: Humboldt, Bonpland, Kunth and the type specimen of <i>Rauhia multiflora</i> (<i>Amaryllidaceae</i>) from Peru | 601 |
| Lundvall, C.-F. & Øllgaard, H.: Seven new <i>Taraxacum</i> species (<i>Asteraceae</i> , <i>Cichorieae</i>) from Norden | 671 |
| Marhold, K., Ducháćek, M. & Hroudová, Z.: Typification of three names in the <i>Bolboschoenus maritimus</i> group (<i>Cyperaceae</i>) | 103 |
| Mateos, M. A. & Valdés, B.: A new species of <i>Globularia</i> (<i>Globulariaceae</i>) from the Talassemtane National Park, N Morocco | 409 |
| Nordenstam, B.: <i>Ignuria</i> , a new genus of the <i>Asteraceae-Senecioneae</i> from Hispaniola | 463 |
| Oberprieler, C. & Vogt, R.: The taxonomic position of <i>Matricaria macrotis</i> (<i>Compositae-Anthemideae</i>) | 329 |
| Øllgaard, H.: Further new <i>Taraxacum</i> species (<i>Asteraceae</i> , <i>Cichorieae</i>) from northern Europe | 693 |
| Parolly, G. & Eren, Ö. (ed.): Contributions to the flora of Turkey, I | 823 |
| Parolly, G. & Tan, K.: A new species of <i>Hesperis</i> (<i>Brassicaceae</i>) from SW Anatolia, Turkey | 851 |
| Pieper, H.: “Z” – the breadfruit author identified | 589 |
| Raimondo, F. M. & Domina, G.: <i>Ptilostemon greuteri</i> (<i>Compositae</i>), a new species from Sicily | 169 |
| Raus, Th.: Found and lost – <i>Staphyleaceae</i> in Greece | 311 |
| Regalado Gabancho, L., Sánchez, C. & Prada, C.: <i>Asplenium veneticolor</i> , a new spleenwort (<i>Aspleniaceae</i> , <i>Pteridophyta</i>) from Cuba | 871 |
| Sánchez, C., Caluff, M. G., Regalado Gabancho, L. & Morejón, R.: A preliminary evaluation of the current conservation status of Cuban endemic true ferns | 491 |
| Scholz, H. & Raus, Th.: Contribution to the flora of Greece: a new species of <i>Achnatherum</i> (<i>Poaceae</i>) | 373 |

| | |
|---|----------|
| Seaward, M. R. D. & Sipman, H. J. M.: An updated checklist of lichenized and lichenicolous fungi for Egypt | 537 |
| Snogerup, S., Snogerup, B. & Strid, A.: <i>Acanthus greuterianus</i> (Acanthaceae), a new species from NW Greece | 323 |
| Soják, J.: <i>Potentilla gobica</i> (Rosaceae), a remarkable new species from SW Mongolia | 867 |
| Søndergaard, P. & Egli, B. R.: <i>Zelkova abelicea</i> (Ulmaceae) in Crete: floristics, ecology, propagation and threats | 317 |
| Spanou, S., Veroios, G., Dimitrellos, G., Tiniakou, A. & Georgiadis, T.: Notes on flora and vegetation of the sand dunes of western Greece | 235 |
| Sukopp, H.: Botanische Gärten und die Berliner Flora [Botanic gardens and the flora of Berlin] | 115 |
| Sutorý, K.: <i>Cynoglossum baeticum</i> (Boraginaceae), a new endemic species from SE Spain | 137 |
| Theocharopoulos, M., Georgiadis, T., Dimitrellos, G., Chochliouros, S. & Tiniakou, A.: Vegetation types with <i>Cladium mariscus</i> (Cyperaceae) in Greece | 247 |
| Trigas, P. & Iatrou, G.: The local endemic flora of Evvia (W Aegean, Greece) | 257 |
| Turland, N. J.: Lectotypification of <i>Campanula saxatilis</i> , <i>Phyteuma pinnatum</i> and <i>Verbascum arcturus</i> , Linnaean names of three taxa endemic to Crete | 303 |
| Tzanoudakis, D., Panitsa, M., Trigas, P. & Iatrou, G.: Floristic and phytosociological investigation of the island Antikythera and nearby islets (SW Aegean area, Greece) | 285 |
| Valdés, B. & Scholz, H.: The Euro+Med treatment of <i>Gramineae</i> – a generic synopsis and some new names | 657 |
| Valdés, B., Montserrat, J. M. & Font, X.: A phytogeographical analysis of the N Moroccan flora | 397 |
| Vogt, R. & Oberprieler, C.: The genus <i>Plagus</i> (Compositae, Anthemideae) | 47 |
| Wagenitz, G., Hellwig, F. H., Parolly, G. & Martins, L.: Two new species of <i>Centaurea</i> (Compositae, Cardueae) from Turkey | 423 |
| Weigend, M.: <i>Urtica dioica</i> subsp. <i>cypria</i> , with a re-evaluation of the <i>U. dioica</i> group (Urticaceae) in western Asia | 811 |
| Zieliński, J., Petrova, A. & Tomaszewski, D.: <i>Quercus trojana</i> subsp. <i>yaltirikii</i> (Fagaceae), a new subspecies from southern Turkey | 845 |
| Zippel, E.: Type material in the moss herbarium of Samuel Elisée von Bridel, 1. | 913 |
| Zotos, A., Raus, Th. & Dimopoulos, P.: New floristic reports from the lakes Trichonis and Lisimachia (W Greece) | 731 |
| Buchbesprechungen | 937 |
| Index to new names and combinations appearing in Willdenowia 36 | 610, 945 |
| Reviewers of manuscripts submitted for publication during 2005 | 951 |